

**Complete List of Wire Combinations**

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
1	1	18		1	14				10407	1	18		1	14			
1	1	18		2	14				10407	1	18		2	14			
1	1	18		3	14				10407	1	18		1	12			
1	2	18							10407	2	18						
1	2	18		1	14				10407	2	18		1	16			
1	2	18		2	14				10407	2	18		1	14			
1	3	18							10407	3	18						
1	3	18		1	14				10407	3	18		1	16			
1	4	18							10407	3	18		1	14			
1	5	18							10407	4	18						
1	6	18							10407	5	18						
1	7	18							10407	1	16		1	14			
1	8	18							10407	1	16		1	12			
1	1	16		1	14				10407	2	16		1	14			
1	2	16							10407	2	16						
1	2	16		1	14				10407	3	16						
1	3	16							10407	4	16						
1	4	16							10407	2	14						
1	5	16															
1	2	14							1410	1	14		1	12			
1	3	14							1410	1	14		2	12			
1	2	12							1410	1	14		1	12		1	10
									1410	1	14		2	12		1	10
10401	1	18		2	16				1410	1	14		3	12		1	10
10401	1	18		1	14				1410	1	14		1	12		2	10
10401	2	18							1410	1	14		3	12			
10401	2	18		1	16				1410	1	14		4	12			
10401	3	18							1410	1	14		1	10			
10401	4	18							1410	1	14		2	10			
10401	2	16							1410	2	14						
									1410	2	14		1	12			
10405	1	18		1	16				1410	2	14		2	12			
10405	1	18		2	16				1410	2	14		1	12		1	10
10405	1	18		1	14				1410	2	14		2	12		1	10
10405	2	18							1410	2	14		3	12			
10405	2	18		1	16				1410	2	14		1	10			
10405	2	18		2	16				1410	2	14		2	10			
10405	2	18		1	14				1410	3	14						
10405	3	18							1410	3	14		1	12			
10405	3	18		1	16				1410	3	14		2	12			
10405	4	18							1410	3	14		1	12		1	10
10405	1	16		1	14				1410	3	14		1	10			
10405	2	16							1410	3	14		2	10			
10405	3	16							1410	4	14						
									1410	4	14		1	12			
10407	1	18		1	16				1410	4	14		1	10			
10407	1	18		2	16				1410	5	14						
10407	1	18		3	16				1410	1	12		1	10			

## Complete List of Wire Combinations

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
1410	2	12							30	4	22		1	14			
1410	2	12		1	10				30	5	22						
1410	3	12							30	5	22		1	18			
1410	3	12		1	10				30	1	20		1	18			
1410	4	12							30	1	20		2	18			
1410	5	12							30	1	20		3	18			
1410	2	10							30	1	20		1	16			
1410	3	10							30	1	20		2	16			
									30	1	20		1	14			
2	1	16		2	14				30	2	20						
2	2	16		1	14				30	2	20		1	18			
2	2	16		2	14				30	2	20		3	18			
2	3	16		1	14				30	2	20		1	16			
2	2	10							30	2	20		2	16			
									30	2	20		1	14			
30	1	22		1	20				30	3	20						
30	1	22		1	20		1	18	30	3	20		1	18			
30	1	22		1	20		1	16	30	3	20		1	16			
30	1	22		3	20				30	3	20		1	14			
30	1	22		4	20				30	4	20						
30	1	22		1	18				30	4	20		1	18			
30	1	22		2	18				30	4	20		1	16			
30	1	22		3	18				30	5	20						
30	1	22		4	18				30	1	18		1	16			
30	1	22		1	16				30	1	18		2	16			
30	1	22		2	16				30	1	18		1	14			
30	1	22		1	14				30	2	18						
30	2	22		1	20				30	3	18						
30	2	22		2	20				30	4	18						
30	2	22		3	20				30	1	16		1	14			
30	2	22		4	20				30	2	16						
30	2	22		1	18				30	3	16						
30	2	22		2	18												
30	2	22		3	18				31	1	18		1	16			
30	2	22		1	16				31	1	18		2	16			
30	2	22		2	16				31	1	18		3	16			
30	2	22		1	14				31	1	18		1	14			
30	3	22							31	1	18		2	14			
30	3	22		1	20				31	2	18						
30	3	22		2	20				31	2	18		1	16			
30	3	22		1	18				31	2	18		2	16			
30	3	22		1	16				31	2	18		1	14			
30	3	22		2	16				31	3	18						
30	3	22		1	14				31	3	18		1	16			
30	4	22							31	3	18		2	16			
30	4	22		1	20				31	3	18		1	14			
30	4	22		1	18				31	4	18						
30	4	22		1	16				31	5	18						

**Complete List of Wire Combinations**

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
31	1	16		1	14												
31	2	16							35	1	18		4	14			
31	2	16		1	14				35	1	18		5	14			
31	3	16							35	1	18		6	14			
31	4	16							35	1	18		2	12			
31	2	14							35	1	18		3	12			
									35	1	18		1	10			
33	1	18		1	14				35	1	18		2	10			
33	1	18		2	14				35	1	18		3	10			
33	1	18		3	14				35	2	18		4	16			
33	1	18		1	12				35	2	18		4	14			
33	2	18		1	16				35	2	18		6	14			
33	2	18		2	16				35	2	18		2	12			
33	2	18		3	16				35	2	18		3	12			
33	2	18		4	16				35	2	18		1	10			
33	2	18		1	14				35	2	18		2	10			
33	2	18		2	14				35	3	18		4	14			
33	2	18		1	12				35	3	18		2	12			
33	3	18		1	16				35	3	18		3	12			
33	3	18		2	16				35	3	18		1	10			
33	3	18		1	14				35	3	18		2	10			
33	3	18		2	14				35	4	18		2	12			
33	3	18		1	12				35	4	18		1	10			
33	4	18		1	16				35	4	18		2	10			
33	4	18		2	16				35	5	18		2	12			
33	4	18		1	14				35	5	18		1	10			
33	4	18		1	12				35	6	18		1	10			
33	5	18							35	6	18		1	18		1	12
33	1	16		1	14				35	1	16		4	14			
33	1	16		2	14				35	1	16		5	14			
33	1	16		3	14				35	1	16		6	14			
33	1	16		1	12				35	1	16		2	12			
33	2	16		1	14				35	1	16		3	12			
33	2	16		2	14				35	1	16		1	10			
33	2	16		1	12				35	1	16		2	10			
33	3	16							35	2	16		4	14			
33	3	16		1	14				35	2	16		6	14			
33	3	16		2	14				35	2	16		2	12			
33	3	16		1	12				35	2	16		3	12			
33	4	16							35	2	16		1	10			
33	4	16		1	14				35	2	16		2	10			
33	5	16							35	3	16		4	14			
33	1	14		1	12				35	3	16		2	12			
33	2	14							35	3	16		3	12			
33	2	14		1	12				35	3	16		1	10			
33	3	14							35	3	16		2	10			
33	4	14							35	4	16		2	12			
33	2	12							35	4	16		1	10			

## Complete List of Wire Combinations

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
35	5	16							35	1	10		1	8			
35	5	16		2	12				35	2	10						
35	5	16		1	10				35	2	10		1	8			
35	6	16							35	3	10						
35	6	16		1	10				35	4	10						
35	6	16		1	16				35	2	8						
35	6	16		2	16												
35	1	14		1	12				329	1	22		1	20			
35	1	14		2	12				329	1	22		2	20			
35	1	14		3	12				329	1	22		3	20			
35	1	14		4	12				329	1	22		1	20		1	18
35	1	14		1	10				329	1	22		1	20		1	16
35	1	14		2	10				329	1	22		1	18			
35	1	14		3	10				329	1	22		2	18			
35	1	14		1	8				329	1	22		1	16			
35	2	14							329	2	22		1	20			
35	2	14		1	12				329	2	22		2	20			
35	2	14		2	12				329	2	22		3	20			
35	2	14		3	12				329	2	22		1	18			
35	2	14		1	10				329	2	22		1	16			
35	2	14		2	10				329	3	22						
35	2	14		1	8				329	3	22		1	20			
35	3	14							329	3	22		2	20			
35	3	14		1	12				329	3	22		1	18			
35	3	14		2	12				329	4	22						
35	3	14		1	10				329	4	22		1	20			
35	3	14		2	10				329	4	22		1	18			
35	3	14		1	8				329	5	22						
35	4	14							329	1	20		1	18			
35	4	14		1	12				329	1	20		2	18			
35	4	14		1	10				329	1	20		1	16			
35	5	14							329	2	20						
35	5	14		1	12				329	2	20		1	18			
35	6	14							329	3	20						
35	1	12		1	10				329	4	20						
35	1	12		2	10				329	1	18		1	16			
35	1	12		3	10												
35	1	12		1	8				330	1	22		1	20			
35	2	12							330	1	22		1	20		1	18
35	2	12		1	10				330	1	22		1	20		1	16
35	2	12		2	10				330	1	22		2	20			
35	2	12		1	8				330	1	22		3	20			
35	3	12							330	1	22		4	20			
35	3	12		1	10				330	1	22		1	18			
35	3	12		1	8				330	1	22		2	18			
35	4	12							330	1	22		3	18			
35	4	12		1	10				330	1	22		4	18			
35	5	12							330	1	22		1	16			

**Complete List of Wire Combinations**

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
330	1	22		2	16				330	2	18						
330	1	22		1	14				330	3	18						
330	2	22		1	20				330	4	18						
330	2	22		2	20				330	1	16	1	14				
330	2	22		3	20				330	2	16						
330	2	22		1	18				330	3	16						
330	2	22		2	18												
330	2	22		3	18				331	1	18	1	16				
330	2	22		1	16				331	1	18	2	16				
330	2	22		2	16				331	1	18	3	16				
330	2	22		1	14				331	1	18	1	14				
330	3	22							331	1	18	2	14				
330	3	22		1	20				331	2	18						
330	3	22		2	20				331	2	18	1	16				
330	3	22		1	18				331	2	18	2	16				
330	3	22		1	16				331	2	18	2	14				
330	3	22		2	16				331	3	18						
330	3	22		1	14				331	3	18	1	16				
330	4	22							331	3	18	2	16				
330	4	22		1	20				331	4	18						
330	4	22		1	18				331	5	18						
330	4	22		1	16				331	1	16	1	14				
330	4	22		1	14				331	1	16	2	14				
330	5	22							331	2	16						
330	5	22		1	18				331	2	16	1	14				
330	1	20		1	18				331	3	16						
330	1	20		2	18				331	3	16	1	14				
330	1	20		3	18				331	4	16						
330	1	20		1	16				331	2	14						
330	1	20		2	16				331	3	14						
330	1	20		1	14												
330	2	20							333	1	18	2	14				
330	2	20		1	18				333	1	18	3	14				
330	2	20		3	18				333	1	18	4	14				
330	2	20		1	16				333	1	18	1	12				
330	2	20		2	16				333	1	18	2	12				
330	2	20		1	14				333	2	18	2	16				
330	3	20							333	2	18	3	16				
330	3	20		1	18				333	2	18	4	16				
330	3	20		1	16				333	2	18	1	14				
330	3	20		1	14				333	2	18	2	14				
330	4	20							333	2	18	1	12				
330	4	20		1	18				333	3	18	2	16				
330	4	20		1	16				333	3	18	1	14				
330	5	20							333	3	18	2	14				
330	1	18		1	16				333	3	18	1	12				
330	1	18		2	16				333	4	18	2	16				
330	1	18		1	14				333	4	18	1	14				

## Complete List of Wire Combinations

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
333	5	18							335	4	20		1	18			
333	6	18							335	4	20		1	16			
333	1	16		2	14				335	5	20						
333	1	16		3	14				335	1	18		2	16			
333	1	16		1	12				335	1	18		3	16			
333	1	16		2	12				335	1	18		4	16			
333	2	16		1	14				335	1	18		5	16			
333	2	16		2	14				335	1	18		2	14			
333	2	16		1	12				335	1	18		3	14			
333	2	16		2	12				335	1	18		4	14			
333	3	16							335	1	18		5	14			
333	3	16		1	14				335	1	18		1	12			
333	3	16		2	14				335	1	18		2	12			
333	3	16		1	12				335	1	18		3	12			
333	4	16							335	2	18		1	16			
333	4	16		1	14				335	2	18		2	16			
333	5	16							335	2	18		3	16			
333	1	14		1	12				335	2	18		4	16			
333	1	14		2	12				335	2	18		1	14			
333	1	14		1	10				335	2	18		2	14			
333	2	14							335	2	18		3	14			
333	2	14		1	12				335	2	18		4	14			
333	2	14		1	10				335	2	18		1	12			
333	3	14							335	2	18		2	12			
333	4	14							335	2	18		3	12			
333	1	12		1	10				335	3	18						
333	2	12							335	3	18		1	16			
									335	3	18		2	16			
335	1	22		2	18				335	3	18		3	16			
335	2	22		1	16				335	3	18		1	14			
335	2	22		2	16				335	3	18		2	14			
335	2	22		3	16				335	3	18		3	14			
335	3	22		1	16				335	3	18		1	12			
335	4	22		1	16				335	3	18		2	12			
335	1	20		2	18				335	3	18		3	12			
335	1	20		3	18				335	4	18						
335	1	20		4	18				335	4	18		1	16			
335	2	20		1	18				335	4	18		2	16			
335	2	20		2	18				335	4	18		1	14			
335	2	20		3	18				335	4	18		2	14			
335	2	20		1	16				335	4	18		1	12			
335	2	20		2	16				335	4	18		2	12			
335	2	20		3	16				335	5	18						
335	3	20							335	5	18		1	12			
335	3	20		1	18				335	5	18		2	12			
335	3	20		2	18				335	6	18						
335	3	20		1	16				335	1	16		2	14			
335	4	20							335	1	16		3	14			

**Complete List of Wire Combinations**

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
335	1	16		4	14				63	1	18		1	14			
335	1	16		2	12				63	1	18		2	14			
335	1	16		3	12				63	1	18		3	14			
335	1	16		4	12				63	1	18		4	14			
335	2	16							63	1	18		1	12			
335	2	16		1	14				63	1	18		2	12			
335	2	16		2	14				63	2	18		2	16			
335	2	16		3	14				63	2	18		3	16			
335	2	16		1	12				63	2	18		4	16			
335	2	16		2	12				63	2	18		1	14			
335	2	16		3	12				63	2	18		2	14			
335	3	16							63	2	18		1	12			
335	3	16		1	14				63	3	18		2	16			
335	3	16		2	14				63	3	18		1	14			
335	3	16		3	14				63	3	18		2	14			
335	3	16		1	12				63	3	18		1	12			
335	3	16		2	12				63	4	18		2	16			
335	3	16		3	12				63	4	18		1	14			
335	4	16							63	5	18						
335	4	16		1	14				63	6	18						
335	4	16		1	12				63	1	16		1	14			
335	4	16		2	12				63	1	16		2	14			
335	5	16							63	1	16		3	14			
335	5	16		2	12				63	1	16		1	12			
335	6	16							63	2	16		1	14			
335	1	14		1	12				63	2	16		2	14			
335	1	14		2	12				63	2	16		1	12			
335	1	14		3	12				63	3	16						
335	1	14		4	12				63	3	16		1	14			
335	2	14							63	3	16		2	14			
335	2	14		1	12				63	3	16		1	12			
335	2	14		2	12				63	4	16						
335	2	14		3	12				63	4	16		1	14			
335	3	14							63	5	16						
335	3	14		1	12				63	1	14		1	12			
335	3	14		2	12				63	2	14						
335	4	14							63	2	14		1	12			
335	4	14		1	12				63	3	14						
335	4	14		2	12				63	4	14						
335	5	14							63	2	12						
335	5	14		1	12												
335	2	12							<b>copper-aluminum</b>								
335	3	12							63	1	18		1	12			
335	4	12							63	2	18		1	12			
335	2	10							63	3	18		1	12			
									63	1	16		1	12			
									63	2	16		1	12			
<b>copper-copper</b>									63	3	16		1	12			

## Complete List of Wire Combinations

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
63	1	14		1	12				65	4	16		2	12			
63	2	14		1	12				65	4	16		1	10			
63	1	12		1	12				65	5	16						
<b>aluminum-aluminum</b>																	
63	2	12							65	5	16		2	12			
65	5	16		1	10				65	5	16		1	10			
65	6	16							65	6	16						
65	6	16		1	10				65	6	16		1	10			
65	7	16							65	7	16						
<b>copper-copper</b>																	
65	1	18		4	14				65	1	14		1	12			
65	1	18		5	14				65	1	14		2	12			
65	1	18		6	14				65	1	14		3	12			
65	1	18		2	12				65	1	14		1	10			
65	1	18		3	12				65	1	14		2	10			
65	1	18		1	10				65	2	14						
65	1	18		2	10				65	2	14		1	12			
65	2	18		4	16				65	2	14		2	12			
65	2	18		4	14				65	2	14		1	10			
65	2	18		2	12				65	3	14						
65	2	18		3	12				65	3	14		1	12			
65	2	18		1	10				65	3	14		2	12			
65	2	18		2	10				65	3	14		1	10			
65	3	18		4	14				65	4	14						
65	3	18		2	12				65	4	14		1	12			
65	3	18		3	12				65	5	14						
65	3	18		1	10				65	5	14		1	12			
65	3	18		2	10				65	6	14						
65	4	18		2	12				65	1	12		1	10			
65	4	18		1	10				65	1	12		2	10			
65	4	18		2	10				65	2	12						
65	5	18		2	12				65	2	12		1	10			
65	5	18		1	10				65	3	12						
65	6	18		1	10				65	4	12						
65	1	16		4	14				<b>copper-aluminum</b>								
65	1	16		5	14				65	1	18		3	12			
65	1	16		6	14				65	1	18		2	10			
65	1	16		2	12				65	2	18		3	12			
65	1	16		3	12				65	2	18		2	10			
65	1	16		1	10				65	3	18		3	12			
65	1	16		2	10				65	3	18		2	10			
65	2	16		4	14				65	4	18		2	10			
65	2	16		2	12				65	1	16		3	12			
65	2	16		3	12				65	1	16		2	10			
65	2	16		1	10				65	2	16		3	12			
65	2	16		2	10				65	2	16		2	10			
65	3	16		4	14				65	3	16		3	12			
65	3	16		2	12				65	6	16		1	10			
65	3	16		3	12				65	1	14		1	12			
65	3	16		1	10												

**Complete List of Wire Combinations**

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
65	1	14		2	12				739	6	14						
65	1	14		3	12				739	1	12		2	10			
65	1	14		1	10				739	1	12		4	10			
65	1	14		2	10				739	1	12		2	8			
65	2	14		1	12				739	1	12		1	6			
65	2	14		2	12				739	2	12		1	10			
65	2	14		1	10				739	2	12		2	10			
65	3	14		1	12				739	2	12		2	8			
65	3	14		2	12				739	2	12		1	6			
65	3	14		1	10				739	3	12						
65	4	14		1	12				739	3	12		1	10			
65	5	14		1	12				739	3	12		2	10			
65	1	12		1	12				739	4	12						
65	1	12		2	12				739	4	12		1	10			
65	1	12		1	10				739	5	12						
65	1	12		2	10				739	6	12						
65	2	12		1	10				739	1	10		1	8			
									739	1	10		2	8			
									739	1	10		1	6			
									739	2	10						
									739	2	10		1	8			
									739	2	10		1	6			
									739	3	10						
									739	3	10		1	8			
									739	4	10						
									739	5	10						
									739	1	8		1	6			
									739	2	8						
									739	3	8						
									739	2	6						
									822	1	22		2	20			
									822	1	22		3	20			
									822	1	22		4	20			
									822	1	22		2	18			
									822	1	22		3	18			
									822	1	22		4	18			
									822	2	22		1	20			
									822	2	22		2	20			
									822	2	22		3	20			
									822	2	22		1	18			
									822	2	22		2	18			
									822	2	22		3	18			
									822	2	22		1	16			
									822	2	22		3	16			
									822	3	22		1	20			
									822	3	22		2	20			
									822	3	22		1	18			

## Complete List of Wire Combinations

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
822	3	22		2	18				822	4	18		1	16			
822	3	22		1	16				822	4	18		2	16			
822	4	22							822	4	18		1	12			
822	4	22		1	20				822	5	18						
822	4	22		1	18				822	5	18		1	12			
822	4	22		1	16				822	6	18						
822	5	22							822	1	16		2	14			
822	1	20		2	18				822	1	16		3	14			
822	1	20		3	18				822	1	16		4	14			
822	1	20		4	18				822	1	16		2	12			
822	2	20		1	18				822	1	16		3	12			
822	2	20		2	18				822	1	16		4	12			
822	2	20		3	18				822	1	16		2	10			
822	2	20		1	16				822	2	16						
822	2	20		3	16				822	2	16		1	14			
822	3	20							822	2	16		2	14			
822	3	20		1	18				822	2	16		3	14			
822	3	20		2	18				822	2	16		1	12			
822	3	20		1	16				822	2	16		2	12			
822	4	20							822	2	16		3	12			
822	4	20		1	18				822	2	16		1	10			
822	4	20		1	16				822	2	16		2	10			
822	5	20							822	2	16		1	8			
822	1	18		2	16				822	3	16						
822	1	18		3	16				822	3	16		1	14			
822	1	18		4	16				822	3	16		1	12			
822	1	18		5	16				822	3	16		2	12			
822	1	18		2	14				822	3	16		1	8			
822	1	18		1	12				822	4	16						
822	1	18		2	12				822	4	16		1	14			
822	1	18		3	12				822	4	16		1	12			
822	2	18							822	4	16		1	8			
822	2	18		1	16				822	5	16						
822	2	18		2	16				822	1	14		2	12			
822	2	18		3	16				822	1	14		3	12			
822	2	18		4	16				822	1	14		4	12			
822	2	18		1	14				822	1	14		2	10			
822	2	18		2	14				822	2	14						
822	2	18		1	12				822	2	14		1	12			
822	2	18		2	12				822	2	14		2	12			
822	2	18		3	12				822	2	14		3	12			
822	3	18							822	2	14		1	10			
822	3	18		1	16				822	2	14		2	10			
822	3	18		2	16				822	2	14		1	8			
822	3	18		3	16				822	3	14						
822	3	18		1	14				822	3	14		1	12			
822	3	18		1	12				822	3	14		2	12			
822	4	18							822	3	14		1	10			

Complete List of Wire Combinations

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
822	3	14		1	8				833	2	20		2	18			
822	4	14							833	2	20		3	18			
822	4	14		1	12				833	2	20		1	16			
822	4	14		1	10				833	2	20		2	16			
822	5	14		1	10				833	2	20		3	16			
822	1	12		2	10				833	3	20						
822	2	12							833	3	20		1	18			
822	2	12		1	10				833	3	20		2	18			
822	2	12		1	8				833	3	20		1	16			
822	3	12							833	4	20						
822	3	12		1	10				833	4	20		1	18			
822	4	12							833	4	20		1	16			
822	5	12							833	5	20						
822	2	10							833	1	18		1	16			
822	3	10							833	1	18		2	16			
822	2	8							833	1	18		3	16			
									833	1	18		4	16			
833	1	22		2	20				833	1	18		5	16			
833	1	22		3	20				833	1	18		2	14			
833	1	22		4	20				833	1	18		1	12			
833	1	22		2	18				833	1	18		2	12			
833	1	22		3	18				833	1	18		3	12			
833	1	22		4	18				833	2	18						
833	2	22		1	20				833	2	18		1	16			
833	2	22		2	20				833	2	18		2	16			
833	2	22		3	20				833	2	18		3	16			
833	2	22		1	18				833	2	18		4	16			
833	2	22		2	18				833	2	18		1	14			
833	2	22		3	18				833	2	18		2	14			
833	2	22		1	16				833	2	18		1	12			
833	2	22		2	16				833	2	18		2	12			
833	2	22		3	16				833	2	18		3	12			
833	3	22							833	3	18						
833	3	22		1	20				833	3	18		1	16			
833	3	22		2	20				833	3	18		2	16			
833	3	22		1	18				833	3	18		3	16			
833	3	22		2	18				833	3	18		1	14			
833	3	22		1	16				833	3	18		1	12			
833	4	22							833	4	18						
833	4	22		1	20				833	4	18		1	16			
833	4	22		1	18				833	4	18		2	16			
833	4	22		1	16				833	4	18		1	12			
833	5	22							833	5	18						
833	1	20		2	18				833	5	18		1	12			
833	1	20		3	18				833	6	18						
833	1	20		4	18				833	1	16		2	14			
833	2	20							833	1	16		3	14			
833	2	20		1	18				833	1	16		4	14			

## Complete List of Wire Combinations

Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG	Model Number	Number of Cond.	AWG	+	Number of Cond.	AWG	+	Number of Cond.	AWG
833	1	16		2	12				833	3	12		1	10			
833	1	16		3	12				833	4	12						
833	1	16		4	12				833	2	10						
833	1	16		2	10				833	3	10						
833	2	16															
833	2	16		1	14												
833	2	16		2	14												
833	2	16		3	14												
833	2	16		1	12												
833	2	16		2	12												
833	2	16		3	12												
833	2	16		1	10												
833	2	16		2	10												
833	2	16		1	8												
833	3	16															
833	3	16		1	14												
833	3	16		2	14												
833	3	16		1	12												
833	3	16		2	12												
833	3	16		1	8												
833	4	16															
833	4	16		1	14												
833	4	16		1	12												
833	4	16		1	8												
833	5	16															
833	1	14		2	12												
833	1	14		3	12												
833	1	14		4	12												
833	1	14		2	10												
833	2	14															
833	2	14		1	12												
833	2	14		2	12												
833	2	14		3	12												
833	2	14		1	10												
833	2	14		2	10												
833	3	14															
833	3	14		1	12												
833	3	14		2	12												
833	3	14		1	10												
833	3	14		1	8												
833	4	14															
833	4	14		1	12												
833	5	14															
833	1	12		2	10												
833	2	12															
833	2	12		1	10												
833	2	12		1	8												
833	3	12															